



Tunis, le 20 JAN 2025 تونس في

## AVIS DE CONSULTATION

### Matériels Audiovisuels pour l'Assemblée Générale Extraordinaire Elective de la FTF

La Fédération Tunisienne de Football lance une consultation pour location des matériels audiovisuels suivants destinés à l'organisation de l'Assemblée Générale Extraordinaire Elective qui aura lieu le 25 Janvier 2025 à l'Hôtel "El Mouradi" Gammarth.

Les entreprises et les entités intéressées doivent remplir le tableau ci-joint et le déposer au bureau d'Ordre de la Fédération Tunisienne de Football sous pli fermé avec mention « **Matériels audiovisuels pour l'Assemblée Générale Extraordinaire Elective de la FTF. A ne pas ouvrir** » et ce, au **plus tard le Jeudi 23 Janvier 2025 à 12<sup>H00</sup>**.

	Description	Quantité	P.U.HT	P.U.TTC	Total TTC
Visuel	Ecran LED centrale (p3,9) 8*3 m°2	1			
	Ecran Latérale (p3,9) 3,5*3 m°3	2			
	Technicien Ecran LED	4			
	Structure en aluminium H : 2m	6			
	Structure en aluminium H : 3m	4			
	Structure en aluminium H : 1m	8			
	Processeur NOVASTAR-(VX-4000): Ecran Princi- pale	1			
	Processeur NOVASTAR-(VX-4000): Latéral	1			
	Solution cablages HDMI fibre 4K	1			
	Bar a LED 22*22 w	12			
	Par a LED 18*18w	30			
	Beam 400w	4			
	Projecteurs scéniques	4			
	Ecran retour SAMSUNG Smart 72°	1			
	Solution Cablages courant Triphasé 60m	1			
	Pointeur Présentation	1			
	Création D'une Interface FRONT pour Vote ré- solution 2048*768	1			
	Création d'un code pour calculer les Votes des 3 BOX HTML ; CSS	3			

Audio	Description	Quantité	P.U.HT	P.U.TTC	Total TTC
	Enceint YAMAHA DBR 15	4			
	Micro Sans fil - SHURE Pupitre	7			
	Micro Sans fil - SHURE (PG58)	2			
	Table de mixage Numérique	1			
	Solution cablages XLR Media	1			
	Ingénieur son	1			
	Console Behringer LC2412 v2	1			

Logis-tique	Description	Quantité	P.U.HT	P.U.TTC	Total TTC
	Transport	1			
	Installation et désinstallation	1			
	Assistance technique	3			

### REGIE 1

Model ; Marque	Description	Quantité	P.U.HT	P.U.TTC	Total TTC
AW-UE-150 ; PA-NASONIC	PTZ camera supports high-quality video production in stadium, lecture halls, churches and other venues. Smooth and high-quality 4K 60p/50p, high-magnification zoom and a wide shooting angle expand the range of the PTZ camera's applications. The camera is equipped with a variety of interfaces and supports simultaneous 4K/HD operation.	4			
AG-CX-350 ; PA-NASONIC	The AG-CX350 is a handheld camcorder that features 4K/UHD resolution, 10-bit depth HDR-compatible V-Log/HLG image quality and various recording formats including broadcasting P2HD.	3			
PR-150 ; PANASO-NIC	The AW-RP150 will be the newest remote camera controller to compliment Panasonic's comprehensive professional PTZ camera lineup.	1			
ATEM 1 ; BLACKMAGIC	Production Studio 4K model switches between SD, HD or Ultra HD video standards so you can connect a wide range of video sources such as cameras, disk recorders and computers. Featuring 10 inputs, chroma keys, transitions, media pool, 4 upstream keyers, downstream keyers, audio mixer, multi view, full motion DVE.	1			

SLIDE-COM SE ; HOL-LYLAND	Solidcom SE Global Version is what production teams need to take their communication experience to the next level. Engineered with a focus on affordability without compromising quality, the 2.4 GHz full-duplex communication system boasts, advanced Environmental Noise Cancellation, and water resistance.	8			
HYPER-DECK STUDIO HD MINI	Miniaturized deck records H.264, ProRes or DNxHD files onto SD/UHS-II cards or external USB disks in SD/HD formats to 1080p60. Includes timecode and reference generators, 3G-SDI in/out and HDMI out.	1			
CABLAGE S VIDEO	CABLAGE VIDEO CERTIFIED 4K (3/5/10/100m)	LOT			

## REGIE 2

Model ; Marque	Description	Quantité	P.U.HT	P.U.TTC	Total TTC
AW-UE150	1"-Type MOS SensorUp to UHD 4K 60p & HD Simultaneous Out12G-SDI, HDMI, Fiber & IP Transmission 20x Optical, 24x UHD & 32x HD iZoomV-Log Out & UHD Crop with v2.28 UpdateHDR Mode with BT.2020 SupportWide 75.1° Horizontal Viewing AngleUp to 180°/Sec Pan/Tilt SpeedLive Stream to Platforms via RTMP	4			
SMART HUB 12*12	Compact 6G-SDI router with built in re-synchronizers on all inputs allows clean switching between all video sources of the same video standard, and can be used as 12 re-synchronizers for automatic re-timing of SDI feeds. Smart Videohub CleanSwitch supports 12 inputs and 12 outputs in virtually all SD, HD and Ultra HD video formats.	1			
MULTI-VIWER 16*16	Blackmagic MultiViews is a native Ultra HD multi viewers that let you monitor completely independent SDI video sources on a single HD or Ultra HD display! With full frame re-synchronization on every input, you can monitor any combination of SD, HD and Ultra HD formats and frame rates all at the same time, on the same display.	1			

SLIDE-COM SE	Solidcom SE Global Version is what production teams need to take their communication experience to the next level. Engineered with a focus on affordability without compromising quality, the 2.4 GHz full-duplex communication system boasts, advanced Environmental Noise Cancellation, and water resistance.	8			
HYPER-DECK STUDIO HD MINI	Miniaturized deck records H.264, ProRes or DNxHD files onto SD/UHS-II cards or external USB disks in SD/HD formats to 1080p60. Includes timecode and reference generators, 3G-SDI in/out and HDMI out.	1			
CABLAGE VIDEO	CABLAGE VIDEO CERTIFIED 4K (3/5/10/100m)	LOT			
Video mixer Atem 2	Atem 2 avec Pupitre Me2	1			
RP 150	Master Controle Camera	1			

<b>TOTAL</b>					
--------------	--	--	--	--	--

**Prière indiquer le total du montant en TTC en lettres et en chiffres.**

- ✓ **Nom du raison sociale :** .....
- ✓ **Adresse :** .....
- ✓ **Matricule fiscale :** .....

Pour plus amples renseignements, veuillez contacter le n° Tel. 71793760.

**LE SECRETAIRE GENERAL**



**Wajdi Aouadi**